

FIRST FOLLOW-UP VISIT

Time In Day Time Dr DAY HOUR WAIT

38. Date								
----------	--	--	--	--	--	--	--	--

39. Main symptom	1. Worse	2. Unchanged	3. Improved
	4. Resolved	5. Other	

40. Test of Cure	1. Not done	2. Indicates cure
	3. Indicates no cure	4. Other

41. Extra tests	1. No	2. Yes
-----------------	-------	--------

42. Further follow-up	1. None	2. M.O.	3. Results
	4. Optional	5. Referral	6. Other

SECOND FOLLOW - UP VISIT

Time In Day Time Dr DATE

38. Date								
----------	--	--	--	--	--	--	--	--

Follow-up	1. None	2. M.O.	3. Results
	4. Optional	5. Referral	6. Other

THIRD FOLLOW - UP VISIT

Time In Day Time Dr DATE

38. Date								
----------	--	--	--	--	--	--	--	--

Follow-up	1. None	2. M.O.	3. Results
	4. Optional	5. Referral	6. Other

FOURTH FOLLOW - UP VISIT

Time In Day Time Dr DATE

38. Date								
----------	--	--	--	--	--	--	--	--

Follow-up	1. None	2. M.O.	3. Results
	4. Optional	5. Referral	6. Other

FIFTH FOLLOW - UP VISIT

Time In Day Time Dr DATE

38. Date								
----------	--	--	--	--	--	--	--	--

Follow-up	1. None	2. M.O.	3. Results
	4. Optional	5. Referral	6. Other

SIXTH FOLLOW - UP VISIT

Time In Day Time Dr DATE

38. Date								
----------	--	--	--	--	--	--	--	--

Follow-up	1. None	2. M.O.	3. Results
	4. Optional	5. Referral	6. Other

HIV Test

DateSignature Consent.....
 Test Declined Counsellor by.....
 Date Result givenSignature.....

COMPLETION OF EPISODE

DATE COMPLETED

No. visits	1. One	2. Two	3. Three
	4. Four	5. Five	6. Six
	7. Seven		

Status	1. Completed Survey	2. Did not phone (neg)	3. Absconded
	4. Referred	5. Other	

Doctor	1. RMO	2. Reg/FMP	3. Trainee 1
	4. Trainee 2	5. SMO 1	6. SMO 2
	7. Clinic Manager	8. Medical Student	9. Other

Trial Patient	1. No	2. Offered/declined	3. Yes
---------------	-------	---------------------	--------

NOTES

FINAL CHECK

Referred To:
Letter Sent:

Episode No

NOTIFICATION of CHLAMYDIA TRACHOMATIS and/or GONORRHOEA

Pursuant to the provisions of the Public and Environmental Health Act, 1987, these are notifiable diseases.

To: STD Services, Royal Adelaide Hospital, North Terrace, 5000; Phone: 8226 6025

Use envelope provided or mark envelope: STRICTLY CONFIDENTIAL

Surname: Given Name(s):
Address:
Post Code: Telephone: Date of Birth: ___/___/___

Office Use Only

[] [] [] [] [] []

[] [] [] []

Testing information (please circle appropriate options)

Notifiable Disease: Chlamydia Gonorrhoea

- Site infected: 1. Cervix 2. Urethra 3. Rectum
4. Vagina 5. Pharynx 6. Fallopian Tube
7. Urine 8. Other.....

[]

Date of Test: ___/___/___ Laboratory:

Clinical information (Please tick appropriate option and/or comment on symptoms)

- [] 1. Discharge/dysuria [] 2. Asymptomatic 3. Other symptoms.....

[]

Treatment:

Epidemiological information (please circle appropriate options)

- Sex: 1. Male 2. Female
Marital status: 1. Never Married 2. Married/Defacto 3. Widowed/Div/Sep
Racial origin: 1. Aboriginal 2. Asian 3. Caucasian 4. Other
Presently employed: 1. No 2. Yes 3. Sex Worker
Likely location infection acquired: 1. South Australia 2. Interstate 3. Overseas
Sex of likely source of infection: 1. Male 2. Female

[]

[]

[]

[]

[]

Follow up of patient (please tick one of the following boxes)

[] I would prefer that you follow up the matter. (please complete details)

Preferred method for patient to be contacted:

Address:

Telephone HM:WK:MB:

Names, addresses and telephones of possible sources/contacts:

.....

[] I would prefer to follow up possible contacts and forward the results to you.

Worksheet

Yes No

I have informed the patient that further follow-up may be required by the South Australian Health Department

Medical Practitioner: [] []

Address:

Telephone:

Signed:

[]

NS [] []

SA []

IS []

**CONFIDENTIAL
NOTIFICATION OF SYPHILIS**

Pursuant to the provisions of the Public and Environmental Health Act, 1987, these are notifiable diseases.

To: STD Services, Royal Adelaide Hospital, North Terrace, 5000; Ph 8226 6025

Use envelope provided or mark envelope: STRICTLY CONFIDENTIAL

Surname: Given Names:	Office Use Only	
Address:		
Post Code: Telephone: Date Of Birth:		
Syphilis Stage <i>(Please circle appropriate option)</i> 1. Primary – symptomatic 2. Secondary – symptomatic 3. Tertiary 4. Congenital 5. Early latent syphilis – asymptomatic, <2 years duration	<input type="checkbox"/>	
Testing and Treatment Information Date of Test: Laboratory:		
Treatment:		
Epidemiological Information <i>(please circle where appropriate)</i> Sex: 1. Male 2. Female Marital Status: 1. Never Married 2. Married/Defacto 3. Widowed/Div/Sep Racial: 1. Aboriginal 2. Asian 3. Caucasian 4. Other Presently Employed 1. No 2. Yes 3. Sex Worker Likely Location Infection Acquired: 1. South Australia 2. Interstate 3. Overseas Sex Of Likely Source Of Infection 1. Male 2. Female		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Follow Up Of Patient <i>(please tick one of the following boxes)</i> <input type="checkbox"/> I Would Prefer That You Follow Up The Matter. <i>(please complete details)</i> <i>Preferred method for patient to be contacted:</i> Address: Telephone HM: WK: MB: <i>Names, addresses and telephones of possible sources/contacts:</i> <input type="checkbox"/> I Would Prefer To Follow Up Possible Contacts And Forward The Results To You.		<input type="checkbox"/> <input type="checkbox"/>
I have informed the patient that further follow-up may be required by the South Australian Health Department. <input type="checkbox"/> Yes <input type="checkbox"/> No Notifying Doctor:		<input type="checkbox"/>
Address:		NS <input type="checkbox"/>
Telephone:		IS <input type="checkbox"/>
Signed:		SA <input type="checkbox"/>
		04/02

CONFIDENTIAL

Notification of Hepatitis C Infection

Pursuant to the provisions of the Public and Environmental Health Act 1987, this is a notifiable disease.

Return to: STD Services, Royal Adelaide Hospital, North Terrace, 5000; Phone: 8226 6025

USE ENVELOPE PROVIDED OR MARK ENVELOPE "CONFIDENTIAL"

Family name: Given name/s:

Address:

Postcode: Telephone: Hospital UR:

Please circle appropriate options

Patient Information

- 1. Date of Birth: ___/___/___ 2. Sex:
- 3. Marital Status
 - 1. Never Married 2. Married /Defacto 3. Widowed /Separated /Divorced
- 4. Racial origin
 - 1. Aboriginal 2. Asian 3. Caucasian 4. Other
- Country of birth
 - 1. Australia 2. Other
- 5. Currently employed
 - 1. No 2. Yes

- 6. Current test date: ___/___/___ 7. Laboratory: **IMVS**
- 8. Previously Tested?
 - 1. No 2. Negative 3. Positive 9. Unknown
 - Date of previous test ___/___/___
- 9. Was a test for ALT performed ? 1. No 2. Yes ALT Result.....
- 10. Hepatitis B status, current testing
 - 1. Not done 2. HBsAntigen neg 3. HBsAntigen pos
 - 4. Vaccinated 5. HBsAntibody pos 6. Other.....

Epidemiological Information

- 11. Was patient jaundiced or bilirubin elevated? 1. No. 2. Yes
- 12. Has the patient received blood /blood products /tissue?
 - 1. No 2. Yes 3. Multiple Year of first transfusion ___ ___
 - If yes, where? 1. SA 2. NSW 3. VIC 4. QLD 5. NT
 - 6. WA 7. TAS 8. ACT 10. Overseas
- 13. History of injecting drug use? 1. No 2. Yes 9. Unknown
 - If yes, age first used? ___ Type of drug?
- 14. Other possible sources of infection

I have informed the patient that further follow-up may be required by the Health

Commission. 1. Yes 2. No

Notifying doctor:.....

Address:.....

Postcode: Telephone.....

Signature.....

Office Use

Confidential

Notification of Hepatitis B Infection

To: STD Services, Royal Adelaide Hospital, North Terrace, Adelaide, 5000 Phone: 8226 6025

USE ENVELOPE PROVIDED OR MARK ENVELOPE "CONFIDENTIAL"

Family name.....Given name/s.....

Address

Postcode Telephone Hospital UR:

Patient Information (please circle appropriate options)

1. Date of Birth: ___/___/___ Sex 1. Male 2. Female

3. Marital Status
1. Never Married 2. Married/Defacto 3. Widowed/Sep/Div

4. Racial origin
1. Aboriginal 2. Asian 3. Caucasian 4. Other

Country of birth 1. Australia 2...Other

5. Currently employed
1. No 2. Yes 3. Sex worker

Testing Information (please circle appropriate options)

6. Date of current laboratory test: ___/___/___ 7. Testing laboratory

8. Previously Tested
1. No 2. Surface Antigen Negative 3. Surface Antigen Positive 4. Unknown
Date of test ___/___/___

9. Signs/Symptoms?
1. None 2. Jaundiced OR Bilirubin elevated 3. Other.....
Date of onset of signs/symptoms ___/___/___

10. Have liver function tests been ordered?
1. No 2. Yes ALT Result..... Date ___/___/___

11. Has the patient ever received Hepatitis B vaccine?
1. No 2. Yes

12. Hepatitis C status on current testing?
1. Not done 2. Negative 3. Positive

Risk Factors (please circle appropriate options)

13. History of receiving blood transfusion/blood products
1. No 2. Yes Year of transfusion.....

14. History of injecting drug use
1. No 2. Yes 9. Unknown

15. Tattoos
1. No 2. Yes

16. Sex Partners past 12 months
1. None 2. Male 3. Female 4. Both male and female

17. Work exposure incident
1. No 2. Yes If yes, specify type of incident.....

18. Known contact of a Hepatitis B positive person
1. No 2. Homosexual 3. Heterosexual 4. Social/Family

19. Other possible sources of infection.....

Pursuant to the provisions of the Public and Environmental Health Act 1987 this is a notifiable disease. I have informed the patient that further follow-up may be required by the Health Commission. (please circle) 1. Yes 2. No

Notifying doctor Telephone

Address

Postcode

Signature.....

Office Use

Grid of 10 boxes

Grid of 5 boxes

Box

Box

Box

Box

Box

Grid of 10 boxes

Box ALT Grid of 5 boxes

Grid of 10 boxes

Box

Box

Box

Box

Box

Box

Box Box

Box

Box

NS Box

RF Box

CC Box

09/00 FU Box

Appendix 2. Medical notifications in South Australia, 1987-2001**

Sexually Transmitted Diseases	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Chlamydia	-	-	1528	1340	1063	933	754	726	769	1025	1051	1047	1005	1005	1454
Gonorrhoea	523	269	195	173	198	164	147	158	252	288	322	225	233	262	225
Syphilis	84	61	55	78	70	97	63	51	40	37	31	21	14	13	24

Blood Borne Diseases	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
HIV cases	90	55	69	48	74	63	45	34	56	35	32	45	38	34	22	23	45
AIDS cases*	3	5	10	27	32	27	41	37	43	52	35	38	27	24	11	5	13
AIDS deaths*	2	2	3	3	12	18	22	31	35	35	38	29	8	16	6	6	7
Hepatitis B (acute)	-	-	76	43	50	35	28	22	35	38	26	20	18	16	15	25	19
Hepatitis C (incident)	-	-	-	-	-	-	-	-	-	-	34	31	52	74	86	90	88

*Includes individuals whose HIV infection may have been diagnosed interstate

**Numbers differ from those in some annual reports which included "laboratory-only" notifications. A few notifications received after an annual report was printed were subsequently added to the numbers for a particular year.

Appendix 3. South Australian population (Aboriginal and total), by age and sex, from 1986, 1991 and 1996 census

Age group	1986			1991			1996		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
Aboriginal									
15-45yrs	3445	3610	7055	3764	4087	7851	5007	5230	10237
Total	6955	7336	14291	7924	8303	16227	10498	10773	21271
Total									
15-45yrs	317942	313657	631599	341126	335418	676544	327599	322226	649825
Total	665960	679985	1345945	720000	731400	1451400	730400	746400	1476800

Appendix 4. Major diagnoses at Clinic 275, 1987-2001

Diagnosis	1987			1988			1989			1990			1991		
	M	F	Total	M	F	Total	M	F	Total	M	F	Total	M	F	Total
No Illness	1229	701	1930	2280	1155	3435	2068	1115	3183	2243	1374	3617	2258	1309	3567
Gonorrhoea	133	92	225	67	30	97	33	21	54	39	11	50	24	6	30
Syphilis	10	8	18	7	3	10	3	2	5	4	2	6	2	-	2
Herpes	205	139	344	183	130	313	172	108	280	156	106	262	158	95	253
Chlamydia	372	183	555	212	110	322	268	113	381	249	122	371	156	91	247
NSU	555	na	555	475	na	475	434	na	434	441	na	441	374	na	374
Warts	783	320	1103	916	337	1253	964	309	1273	1037	259	1296	972	259	1231
Trichomoniasis	2	49	51	2	39	41	-	29	32	1	20	21	2	16	18
Candida vaginitis	na	407	407	na	376	376	na	374	374	na	300	300	na	305	305
Crabs	131	43	174	81	18	99	71	16	87	38	11	79	89	25	114
Scabies	38	4	42	15	1	16	24	3	27	25	2	27	11	2	13
Molluscum contagiosum	103	22	125	86	23	109	82	29	111	99	16	115	90	31	121
Bacterial vaginosis	na	533	533	na	304	304	na	293	293	na	181	181	na	189	189
Hepatitis B carrier	10	2	12	11	-	11	19	7	26	16	4	20	16	1	17
Hepatitis C : incident : new															
Urethral irritation	129	na	129	101	na	101	90	na	90	234	na	234	172	na	172
Balanitis	240	na	240	191	na	191	129	na	129	186	na	186	174	na	174
Post coital contraception															
Non STD illness	340	80	420	315	41	356	337	57	394	312	58	370	361	106	467
Other/uncertain	148	249	397	220	222	442	172	256	428	167	147	314	92	82	174
Clinic attendances			8300			11510			12547			15399			14401
Episodes of care	4343	2419	6762	4999	2586	7579	4678	2469	7145	5008	2445	7453	4836	2439	7275
Individual clients	3224	1662	4886	3853	1895	5848	3714	1904	5618	3946	1936	5882	3750	1836	5586

Appendix 4. (continued)

Diagnosis	1992			1993			1994			1995			1996		
	M	F	Total	M	F	Total	M	F	Total	M	F	Total	M	F	Total
No illness	2282	1413	3695	2776	1802	4578	2128	1451	3579	1951	1426	3377	2012	1499	4511
Gonorrhoea	34	4	38	22	3	25	27	7	34	28	8	36	35	6	41
Syphilis	5	5	10	2	5	7	-	1	1	3	-	3	2	2	4
Herpes	149	95	244	155	120	275	149	90	239	117	94	211	130	113	243
Chlamydia	141	67	208	112	88	200	114	74	188	105	74	179	95	67	162
NSU	449	na	449	442	na	442	349	na	349	318	na	318	227	na	227
Warts	1040	254	1294	940	289	1229	867	290	1157	775	333	1108	811	293	1104
Trichomoniasis	3	9	12	1	12	13	-	17	17	1	4	5	1	8	9
Candida vaginitis	na	322	322	na	425	425	na	418	418	na	379	379	na	383	383
Crabs	118	27	145	60	22	82	75	23	98	64	25	89	98	32	130
Scabies	14	3	17	35	1	36	30	4	34	38	8	46	30	3	33
Molluscum contagiosum	117	29	146	120	27	147	130	23	153	143	30	173	130	41	171
Bacterial vaginosis	na	202	202	na	263	263	na	243	243	na	234	234	na	220	220
Hepatitis B carrier	14	1	15	19	8	27	10	7	17	18	2	20	10	5	15
Hepatitis C : incident : new	125	76	201	61	35	101	20	14	34	97	46	143	82	32	114
Urethral irritation	178	na	178	184	na	184	236	na	236	198	na	198	214	na	214
Balanitis	159	na	159	223	na	223	222	na	222	245	na	245	201	na	201
Post coital contraception				na	168	168	na	154	154	na	201	201	na	178	178
Non STD illness	413	101	514	457	147	604	549	214	763	538	197	735	563	207	770
Other/uncertain	109	96	205	119	139	258	126	59	185	131	146	277	115	129	244
Clinic attendances			15447	10047	6075	16122	9204	5832	15036	8551	5710	14261	7616	6434	14052
Episodes of care	4938	2526	7464	5403	3322	8725	4746	3031	7777	4365	2957	7322	4442	2969	7390
Individual clients	3787	1999	5786	4320	2651	6972	3789	2405	6194	3583	2369	5952	3572	2359	5929

Appendix 4. (continued)

Diagnosis	1997			1998			1999			2000			2001		
	M	F	Total	M	F	Total	M	F	Total	M	F	Total	M	F	Total
No illness	2069	1498	3567	2213	1578	3791	1854	1429	3283	1567	1224	2791	1797	1388	3185
Gonorrhoea	49	4	53	39	5	44	34	10	44	46	-	46	37	6	43
Syphilis	3	-	3	2	1	3	5	2	7	4	-	4	3	4	7
Herpes	139	105	244	110	103	213	120	86	206	89	90	179	79	80	159
Chlamydia	126	70	196	162	111	273	121	88	209	105	81	186	213	135	358
NSU	123	na	123	150	na	150	134	na	134	124	na	124	97	na	97
Warts	852	323	1175	917	369	1286	890	350	1240	787	280	1067	745	378	1123
Trichomoniasis	1	5	6	-	8	8	1	9	10	-	7	7	-	8	8
Candida vaginitis	na	379	379	na	369	369	na	367	367	na	328	328	na	319	319
Crabs	121	30	151	106	18	124	54	9	63	62	7	69	65	13	78
Scabies	25	1	26	11	2	13	13	6	19	11	4	15	5	-	5
Molluscum contagiosum	126	32	158	185	42	227	132	37	169	156	38	194	150	55	205
Bacterial vaginosis	na	197	197	na	214	214	na	204	204	na	202	202	na	205	205
Hepatitis B carrier	4	2	6	5	5	10	16	3	19	11	8	19	13	9	22
Hepatitis C : incident							2	1	3	1	-	1	11	2	13
: new	66	34	100	66	44	110	22	9	31	12	3	15	10	3	13
Urethral irritation	265	na	265	269	na	269	230	na	230	193	na	193	189	na	189
Balanitis	200	na	200	188	na	188	192	na	192	186	na	186	174	na	174
Post coital contraception	na	188	188	na	230	230	na	177	177	na	175	175	na	280	280
Non STD illness	518	219	737	492	252	744	485	240	725	548	244	792	413	194	607
Other/uncertain	94	84	178	57	101	158	96	128	224	97	126	223	83	90	173
Clinic attendances	8968	5663	14631	9150	6136	15286	7978	5533	13511	7468	4937	12405	7752	5544	13296
Episodes of care	4472	2955	7427	4657	3177	7834	4143	2925	7068	3776	2638	6414	3915	2967	6882
Individual clients	3486	2321	5807	3604	2474	6078	3216	2294	5510	2908	2051	4959	3041	2259	5300

Appendix 5. Age and symptoms for episodes of care at Clinic 275, 1987-2001

Age Group	Male														Total	
	Year															
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
<20																
Asymptomatic	62	116	118	153	148	130	175	144	143	147	122	145	106	81	81	1871
Other	350	284	253	255	242	207	211	216	167	169	167	174	126	121	122	3064
20 - 24																
Asymptomatic	196	362	361	410	436	510	664	522	478	439	455	421	352	253	300	6159
Other	1214	1099	992	990	912	909	894	871	730	755	660	755	603	530	530	12444
25 - 29																
Asymptomatic	150	333	291	368	348	406	501	379	344	366	389	402	341	300	307	5225
Other	958	896	871	875	809	733	746	687	641	679	677	737	656	584	577	11126
30 - 34																
Asymptomatic	111	253	231	267	275	304	362	253	235	245	253	206	206	201	241	3643
Other	508	578	493	558	518	517	475	437	425	448	470	416	415	448	446	7152
35 - 39																
Asymptomatic	76	145	171	186	180	209	240	178	158	176	184	191	188	145	178	2605
Other	298	315	276	325	300	277	314	333	286	289	274	342	323	294	300	4546
>40																
Asymptomatic	97	247	256	270	287	307	419	329	343	301	367	356	319	315	337	4550
Other	323	371	365	351	381	429	402	397	415	428	454	512	508	504	496	6336
Total	4343	4999	4678	5008	4836	4938	5403	4746	4365	4442	4472	4657	4143	3776	3915	68721

Appendix 5. (continued)

Age Group	Female															
	Year															
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	Total
<20																
Asymptomatic	117	141	157	180	190	234	467	437	448	437	426	409	328	271	299	4541
Other	427	398	408	340	321	303	400	417	418	397	330	367	306	287	328	5447
20 - 24																
Asymptomatic	175	247	216	290	318	338	552	475	423	448	492	508	511	448	464	5905
Other	564	531	552	476	450	506	571	588	550	569	551	608	608	573	516	8213
25 - 29																
Asymptomatic	123	169	180	183	168	170	243	160	160	199	211	229	209	201	254	2859
Other	385	386	301	259	251	231	259	266	245	274	259	304	296	275	292	4283
30 - 34																
Asymptomatic	88	122	106	127	117	117	146	113	101	98	88	104	93	75	124	1619
Other	212	204	177	159	164	157	176	163	148	131	165	160	113	135	192	2456
35 - 39																
Asymptomatic	27	65	55	99	72	100	117	73	65	70	79	81	69	66	71	1109
Other	132	135	115	92	128	105	102	85	100	89	85	101	93	86	108	1556
>40																
Asymptomatic	47	77	85	122	130	128	144	137	142	111	122	130	123	80	132	1710
Other	122	105	117	118	130	137	145	117	157	146	147	176	176	141	187	2121
Total	2419	2580	2469	2445	2439	2526	3322	3031	2957	2969	2955	3177	2925	2638	2967	41819

**Appendix 6. Proportion of syphilis, gonorrhoea and chlamydia occurring in
Aborigines in South Australia, 1987-2001
(includes laboratory- only notifications)**

Year	Syphilis		Gonorrhoea		Chlamydia	
	No.	%	No.	%	No.	%
1987	137/150	91	78/547	14	-	-
1988	49/61	80	87/269	32	-	-
1989	43/55	78	81/195	42	68/1553	4
1990	74/83	89	54/173	31	63/1361	5
1991	65/70	93	117/198	59	61/1070	6
1992	91/98	93	81/164	49	83/936	9
1993	59/63	94	92/147	63	48/757	6
1994	47/51	92	95/158	60	65/727	9
1995	40/44	91	189/252	75	152/769	20
1996	30/38	79	214/288	74	174/1025	17
1997	31/31	100	217/322	67	197/1050	19
1998	23/23	100	143/225	64	143/1046	14
1999	15/16	94	147/232	63	134/1017	13
2000	13/13	100	174/264	66	170/1005	17
2001	24/24	100	118/225	52	135/1454	9

Appendix 7. Gonorrhoea medical notifications in South Australia, 1987-2001

Year	Male				Female	
	Aboriginal		Non-Aboriginal		Aboriginal	Non-Aboriginal
	Homosexual	Heterosexual	Homosexual	Heterosexual		
1987	-	45	4	256	26	192
1988	1	56	18	100	30	64
1989	-	50	11	65	31	38
1990	-	38	22	60	16	37
1991	1	63	17	40	53	24
1992	-	45	41	34	36	8
1993	2	70	18	27	20	10
1994	1	61	21	30	33	12
1995	2	149	22	28	38	13
1996	-	106	39	28	108	7
1997	1	115	53	39	101	13
1998	2	83	45	28	58	9
1999	1	78	36	37	68	12
2000	3	77	54	32	94	4
2001	2	50	46	41	66	20
Total	16	1086	447	845	778	463

Appendix 8. Location of acquisition of gonorrhoea for South Australian cases, 1987-2001

Location of acquisition	Male															Total
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
Non-Aboriginal																
Homosexual																
SA	3	15	7	16	15	36	15	11	16	31	41	33	27	47	38	351
Interstate	-	2	3	5	2	3	2	10	5	8	11	12	6	5	7	81
Overseas	1	1	1	1	-	2	1	-	1	-	1	-	3	2	1	15
Heterosexual																
SA	212	70	38	33	23	15	19	15	18	13	28	19	23	17	29	572
Interstate	22	5	9	2	2	3	1	4	4	5	5	3	3	3	2	73
Overseas	22	25	18	25	15	16	7	11	6	10	6	6	9	11	8	195
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5
Aboriginal																
SA	40	52	46	37	59	40	62	54	143	95	93	77	67	61	39	965
Interstate	5	5	4	1	5	5	9	8	8	11	20	8	11	7	7	114
Overseas	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Unknown	-	-	-	-	-	-	-	-	-	-	3	-	1	12	6	22
Total	305	175	126	120	121	120	117	113	201	173	208	158	152	166	139	2394
	Female															
Location of acquisition	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	Total
Non-Aboriginal																
SA	177	60	33	32	19	5	8	10	13	6	12	9	11	3	9	407
Interstate	11	3	2	1	-	1	1	1	-	-	-	-	1	-	1	22
Overseas	4	1	3	4	5	2	1	1	-	1	1	-	-	1	4	28
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6
Aboriginal																
SA	26	29	29	14	50	32	19	28	30	102	86	52	61	75	54	687
Interstate	-	1	2	2	3	4	1	5	8	6	15	6	7	9	4	73
Overseas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	10	8	18
Total	218	94	69	53	77	44	30	45	51	115	114	67	80	98	86	1241

Appendix 9. Susceptibility to penicillin of tested isolates of *Neisseria gonorrhoeae* in South Australia, by year, 1987-2001

Year	Penicillin susceptibility						Total
	Sensitive (? 0.03)#	Less sensitive (0.06 –0.5)	Resistant (? 1.0)		*PPNG		
	No.	No.	No.	%	No.	%	
1987	160	253	11	2.4	34	7.4	458
1988	42	150	7	3.3	15	7	214
1989	39	117	6	3.5	8	4.7	170
1990	18	94	10	7.4	14	10.3	136
1991	19	60	3	3.2	12	12.8	94
1992	40	72	-	-	9	7.4	121
1993	15	70	5	5.1	9	9.1	99
1994	14	83	2	1.9	6	5.7	105
1995	19	124	-	-	-	-	143
1996	4	61	10	13.2	1	1.3	76
1997	8	47	31	35.2	2	2.3	88
1998	2	61	22	24.2	6	6.6	91
1999	4	59	15	18.5	3	3.7	81
2000	25	25	14	18.9	10	13.5	74
2001	15	71	13	12.4	6	5.7	105

* penicillinase producing *N. gonorrhoeae*

?g/ml

Appendix 10. Chlamydia notifications in South Australia, by age and sex, 1989-2001 (includes laboratory-only notifications)

Year	Male					Female				
	<20	20-24	25-29	30+	Total	<20	20-24	25-29	30+	Total
1989 No.	30	184	174	152	540	173	433	214	193	1013
%	6	34	32	28		16	43	21	19	
1990 No.	28	167	141	177	513	145	388	176	139	848
%	5	33	27	34		17	46	21	16	
1991 No.	32	143	107	88	370	191	294	112	103	700
%	9	39	29	23		27	42	16	15	
1992 No.	36	133	94	94	357	162	257	94	66	579
%	10	37	26	27		28	44	16	12	
1993 No.	33	115	63	84	295	141	201	77	49	462
%	11	39	21	29		30	44	15	11	
1994 No.	22	120	64	76	282	152	166	73	54	445
%	8	43	22	27		34	37	17	12	
1995 No.	41	118	75	84	318	138	178	79	56	451
%	13	37	24	26		31	39	18	12	
1996 No.	40	154	100	76	370	177	264	104	110	655
%	11	42	27	20		27	40	16	17	
1997 No.	77	143	91	90	401	203	242	102	102	649
%	20	36	23	21		31	37	16	16	
1998 No.	59	156	121	115	451	194	224	104	73	595
%	14	34	27	25		32	38	18	12	
1999 No.	55	145	105	130	435	187	224	9	81	582
%	13	33	24	30		32	39	16	13	
2000 No.	48	136	103	122	409	193	227	95	81	596
%	12	33	25	30		32	38	16	14	
2001 No.	85	231	126	147	589	298	331	38	98	865
%	15	39	21	25		34	38	16	12	

Appendix 11. Chlamydia tests performed in South Australia, 1990-2001

Year	Male	Female	Total	M:F Ratio
1990	6797	28267	35064	0.24:1
1991	6560	28870	35430	0.23:1
1992	6741	27407	34148	0.25:1
1993	6984	26066	33050	0.27:1
1994	5868	24821	30689	0.24:1
1995	5848	24261	30109	0.24:1
1996	7662	23654	31316	0.32:1
1997	7675	21433	29108	0.35:1
1998	8178	23798	31976	0.34:1
1999	8145	22835	30980	0.35:1
2000	7813	21570	29383	0.36:1
2001	8892	22494	31386	0.4:1

Appendix 12. Chlamydia cases in South Australia, by notification source by symptoms, 1989-2001

Males	1989		1990		1991		1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
C-275																											
Sympt	148	55	127	54	90	55	73	53	61	54	68	60	69	68	52	55	54	48	56	37	51	43	45	47	84	45	
Asympt	120		112		75		65		52		45		33		43		58		94		67		50		101		
Total	268		239		165		138		113		113		102		95		112		150		118		95		185		
%	50		47		45		39		38		40		32		26		28		33		27		23		31		
Other																											
Sympt	217	80	215	78	162	79	166	76	137	75	129	80	116	54	167	61	155	54	182	60	192	61	170	54	211	52	
Asympt	55		59		43		53		45		40		100		108		129		118		123		136		192		
Unknown	-		-		-		-		-		-		-		-		-		-		-		8		1		
Total	272		274		205		219		182		169		216		275		289		301		317		314		404		
Total	540		513		370		357		295		282		318		370		401		451		435		409		589		
Females																											
C-275																											
Sympt	52	46	38	36	24	29	25	39	23	29	31	47	26	40	30	51	15	26	30	31	25	34	34	45	28	25	
Asympt	61		68		59		39		56		35		39		29		43		68		48		42		83		
Total	113		106		83		64		79		66		65		59		58		98		73		76		111		
%	11		13		12		11		17		15		14		9		9		16		10		13		13		
Other																											
Sympt	578	64	426	57	289	47	238	46	193	50	195	51	207	54	278	47	253	43	232	47	228	45	196	38	228	37	
Asympt	322		316		328		277		190		184		179		318		324		265		275		314		520		
Unknown	-		-		-		-		-		-		-		-		-		-		6		10		6		
Total	900		742		617		515		383		379		386		596		591		497		509		520		754		
Total	1013		848		700		579		462		445		451		655		649		595		582		596		865		
M : F ratio	.53:1		.60		.53		.62		.64		.63		.71		.56		.62		.76		.59		.69		.68		

Appendix 13. HIV infection detected in South Australia, 1985-2001

Year	Male		Female	Total
	No.	%	No.	
1985	81	90	9	90
1986	52	93	4	56
1987	60	91	6	66
1988	47	96	2	49
1989	69	93	5	74
1990	59	94	4	63
1991	43	96	2	45
1992	30	88	4	34
1993	53	95	3	56
1994	31	89	4	35
1995	31	97	1	32
1996	41	91	4	45
1997	32	84	6	38
1998	28	82	6	34
1999	19	86	3	22
2000	21	91	2	23
2001	36	78	10	46
Total	733	91	75	808

Appendix 14. Laboratory tests for HIV infection in South Australia, 1992-2001. Tests on patients where sex not recorded have been excluded (about 1%)

Year	Male		Female	Total
	No.	%	No.	
1992	29786	43	39133	68919
1993	32804	43	43294	76098
1994	34551	43	46685	81236
1995	33117	43	43281	76398
1996	32628	44	40820	73448
1997	34932	47	38891	73823
1998	37589	47	42536	80125
1999	35930	47	40703	76663
2000	33738	44	42122	75860
2001	33164	43	43654	76818

Appendix 15. HIV infection detected in males in South Australia, by risk factor, 1985-2001. % refers to proportion of known risk factor

Year	Homosexual		Heterosexual		IDU		Other	Total Known
	No.	%	No.	%	No.	%		
1985	56	72	-		18	23	5	78
1986	41	80			9	18	1	51
1987	46	74	-	-	11	18	5	62
1988	37	80	2	4	6	15	-	46
1989	52	76	1	1	2	8	3	68
1990	41	80	3	6	6	12	1	51
1991	33	89	1	3	3	8	-	37
1992	25	89	2	7	1	4	-	28
1993	42	81	8	15	2	4	-	52
1994	26	84	3	10	2	6	-	31
1995	27	90	2	7	1	3	-	30
1996	34	83	4	10	2	5	1	41
1997	27	87	2	6	2	6	-	31
1998	21	81	5	19	-	-	-	26
1999	10	53	6	32	3	16	-	19
2000	15	75	3	15	2	10	-	20
2001	29	81	4	14	2	6	-	36

Appendix 16. HIV infection in South Australia, by year by likely location of acquisition of infection, 1985-2001.
 % refers to proportion of known location

Location	Year															
	1985/86		1987		1988		1989		1990		1991		1992		1993	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
SA	37	36	17	33	21	44	36	55	18	42	8	38	18	55	36	64
Interstate	43	42	23	44	20	42	24	36	14	33	11	52	11	33	9	16
Overseas	22	22	12	23	7	14	6	9	11	25	2	10	4	12	11	20
Unknown	43		17		-		8		20		25		1		-	
Total	145		69		48		74		63		46		34		56	

Location	Year															
	1994		1995		1996		1997		1998		1999		2000		2001	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
SA	21	58	22	79	31	70	25	66	20	61	13	59	16	70	26	58
Interstate	5	14	2	7	5	11	5	13	3	9	1	5	1	4	5	11
Overseas	10	28	4	14	8	18	8	21	10	30	8	36	6	26	14	31
Unknown	-		3		1		-		1		-		-		-	
Total	36		31		45		38		34		22		23		45	

Appendix 17. HIV infection in males in South Australia, by age at diagnosis, 1985-2001

Year	Age group										Total
	<20		20-29		30-39		40-49		50+		
	No.	%	No.	%	No.	%	No.	%	No.	%	
1985	2	3	39	49	31	38	5	6	3	4	81*
1986	5	10	17	33	24	46	4	8	2	4	52
1987	1	2	27	45	22	37	8	13	2	3	60
1988	-		21	45	16	34	8	17	2	4	47
1989	3	4	22	32	25	37	15	22	3	4	68
1990	1	2	18	31	24	41	11	19	5	8	59
1991	2	4	10	23	20	47	9	21	2	5	43
1992	-		13	43	7	23	4	13	6	20	30
1993	-		19	36	17	32	11	21	6	11	53
1994	1	3	9	29	10	32	6	19	5	16	31
1995	-		10	32	9	29	8	26	4	13	31
1996	1	2	12	29	16	38	7	17	6	14	42
1997	-		9	28	10	31	10	31	3	9	32
1998	2	7	5	18	7	25	6	21	8	29	28
1999	-		2	11	11	58	4	21	2	11	19
2000	-		6	29	10	48	2	10	3	14	21
2001	2	6	7	19	16	44	6	17	5	14	36
Total	20		246		275		124		67		733

* includes one male dob unknown

Appendix 18. Medical notifications and newly acquired (within 12 months) hepatitis C infections in South Australia, 1993-2001

Year	Medical Notifications			Newly acquired			IDU
	Male	Female	Total	Male	Female	Total	
1993 No.	1236	672	1912*	-	-	-	-
%	65						
1994 No.	1428	853	2285*	-	-	-	-
%	63						
1995 No.	835	380	1215	20	14	34	31/32
%	69			59			
1996 No.	813	388	1201	20	11	31	29
%	68			65			
1997 No.	653	313	966	35	17	52	43/46
%	67			67			
1998 No.	597	386	983	48	26	74	63/66
%	61			65			
1999 No.	696	397	1093	60	26	86	80
%	64			70			
2000 No.	650	416	1066	47	43	90	84
%	61			52			
2001 No.	593	323	916	51	37	88	81
%	65			58			

* Total includes 4 individuals whose sex was not stated

Appendix 19. Laboratory tests for hepatitis C in South Australia, 1995-2001

Year	Male	Female	Unknown	Total	M:F ratio
1995	23113	26231	590	49944	0.88:1
1996	27374	28137	2529	58040	0.97:1
1997	29624	30834	547	61005	0.96:1
1998	33193	38328	243	71764	0.87:1
1999	37212	39040	214	76466	0.95:1
2000	34342	36994	253	71589	0.93:1
2001	36433	39603	149	76185	0.92:1

Appendix 20. Acute hepatitis B infection in South Australia, 1987-2001

Year	Male	Female	Total
1987	58	18	76
1988	27	16	43
1989	35	15	50
1990	26	9	35
1991	18	10	28
1992	16	6	22
1993	18	17	35
1994	26	12	38
1995	15	11	26
1996	12	8	20
1997	11	7	18
1998	10	6	16
1999	8	7	15
2000	15	10	25
2001	8	11	19

Appendix 21. Laboratory tests for hepatitis B surface antigen in South Australia, 1996-2001

Year	Male	Female	Unknown	Total	M:F Ratio
1996	23389	35810	15565	74764	0.65:1
1997	29283	44764	1043	75090	0.65:1
1998	31274	47237	285	78796	0.66:1
1999	35496	48977	246	84719	0.72:1
2000	34136	45190	287	79613	0.76:1
2001	30244	45141	151	75538	0.67:1

Appendix 22. Individuals testing hepatitis B surface antigen positive for the first time in South Australia, by race, 1996-2001

Year	Aboriginal	Asian	Caucasian	Other / Unknown	Total
1996 No.	11	94	48	12	165
1996 %	7	57	29	7	
1997 No.	9	69	41	8	127
1997 %	7	54	32	7	
1998 No.	8	98	49	10	165
1998 %	5	59	30	6	
1999 No.	9	77	49	10	145
1999 %	6	53	34	7	
2000 No.	12	113	48	16	189
2000 %	6	60	25	9	
2001 No.	12	87	29	11	139
2001 %	9	63	21	7	

Appendix 23. First attendances at Clinic 275, by year by race by sex, 1987-2001

Year	Male					Female				
	Aboriginal	Asian	Caucasian	Other	Total	Aboriginal	Asian	Caucasian	Other	Total
1987 No.	35	26	3153	24	3238	19	21	1620	10	1670
%	1	1	97	1		1	1	97	1	
1988 No.	42	29	3004	51	3126	26	11	1472	43	1552
%	1	1	96	2		2	1	95	3	
1989 No.	25	14	2671	22	2732	1	12	1355	9	1400
%	1	<1	98	1		1	1	97	1	
1990 No.	21	28	2613	31	2693	17	20	1333	7	1377
%	1	1	97	1		1	1	97	1	
1991 No.	21	24	2395	23	2463	17	18	1244	6	1285
%	1	1	97	1		1	1	97	1	
1992 No.	22	37	2295	36	2390	16	21	1311	11	1359
%	1	2	96	1		1	2	96	1	
1993 No.	41	55	2608	49	2753	27	51	1804	24	1906
%	1	2	95	2		1	3	95	1	
1994 No.	29	42	2133	25	2229	22	39	1459	16	1536
%	1	2	96	1		1	3	95	1	
1995 No.	33	44	1951	28	2056	27	35	1418	15	1495
%	2	2	95	1		2	2	95	1	
1996 No.	24	57	1859	48	1988	23	50	1356	26	1455
%	1	3	94	2		2	3	93	2	
1997 No.	25	43	1774	22	1864	18	57	1253	22	1350
%	1	3	95	1		1	4	93	2	
1998 No.	34	61	1788	45	1928	21	58	1311	18	1408
%	2	3	93	2		2	4	93	1	
1999 No.	20	52	1467	50	1589	24	59	1115	42	1240
%	1	3	93	3		2	5	90	3	
2000 No.	12	46	1256	50	1364	9	49	935	34	1027
%	1	3	92	4		1	5	91	3	
2001 No.	21	61	1336	64	1482	19	67	1077	51	1214
%	2	4	90	4		2	5	89	4	
Total	405	619	32303	568	33895	309	568	20063	334	21274

Publications of the STD Control Branch and STD Services since 1985

Bulletins

Bulletin No.1 Diagnosis and Management of STDs (including HIV infection)

First printed May 1998

Second edition May 1990

Third edition June 1993

Fourth edition August 1996

Fifth edition April 2000

Bulletin No.2 Reducing the Impact of Sexually Transmitted Diseases including HIV Infection

First printed 1988

Revised 1991

Bulletin No.3 STD Training for Doctors and Medical Students

Bulletin No.4 Information Systems for STD Control Programmes

Bulletin No.5 Clinic 275 Operations Manual

Bulletin No.6 The Epidemiology of Chlamydia and Gonorrhoea

Bulletin No.7 Service Evaluation and Staff Management in an STD Clinic.

Venereologica: facts and figures from an STD clinic

From Night Clinics to the Internet. A History of Sexually Transmitted Diseases in South Australia, 1916-1996.

Epidemiologic Reports.

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No. 1 -1987

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No. 2 -1988

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No. 3 -1989

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No. 4 -1990

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No. 5 -1991

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No. 6 -1992

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No. 7 -1993

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No. 8 -1994

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No. 9 -1995

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No.10-1996

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No.11-1997

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No.12-1998

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No.13-1999

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No.14-2000

Sexually Transmitted Diseases in South Australia, Epidemiologic Report No.15-2001

Book Chapters

- Hart G. In Head JJ ed. *Human sexuality*, Carolina Biology Readers, North Carolina, 1987.
Sexually Transmitted Diseases
- Hart G. In Holmes KK, Mardh P, Sparling PF, Wiesner PJ. *Sexually Transmitted Diseases*. McGraw Hill, New York, 2nd edition, 1990.
Chapter 25 Donovanosis
Chapter 85 Evaluation of Sexually Transmitted Disease Control
Programs in Industrialized Countries.
- Hart G. In Sox HC Jr ed. *Common diagnostic tests. Use and Interpretation*. American College of Physicians, Philadelphia, Pennsylvania, 1990.
Syphilis tests in diagnostic and therapeutic decision making pp 196-217.
- Hart G. In *Mims Disease Index* ISSN 1035-5693, 1991, Crows Nest, New South Wales, 1996. Syphilis pp 524-8
- Hart G. In Rein MF, *Atlas of infectious diseases*. Current Medicine, Philadelphia 1996. Chapter 17, Donovanosis
- Hart G. In Mandell GL *et al eds, Principles and Practice of Infectious Diseases*, , Churchill Livingstone, London 3rd edition, 1990. Chapter 169. Donovanosis
- Donovan B, Minichiello V, Hart G. In Brown T, Chan R, Mugrditchian D *et al (eds), Sexually Transmitted Diseases in the Asia Pacific*, Venereology Publishing Corp, Armidale, NSW, 1998. Australia
- Hart G. In *Harrison's Principles of Internal Medicine 15th edition*, , McGraw Hill, New York, 2000; 16th edition, 2003. Chapter 164. Donovanosis

Journals

- Australian Gonococcal Surveillance Programme. Penicillin sensitivity of gonococci isolated in Australia 1981-1986. *Genitourin Med* 1988; 64:147-51
- Australian Gonococcal Surveillance Programme. Changing patterns in gonococcal infection in Australia, 1981-1987. *Med J Aust* 1988; 149:609-12
- Australian Gonococcal Surveillance Programme. Use of quality assurance scheme in a long-term multicentric study of antibiotic susceptibility of *Neisseria gonorrhoeae*. *Genitourin Med* 1990; 66:8-13
- Tapsall J, Handke G *et al*. Strain characteristics and antibiotic susceptibility of isolates of *Neisseria gonorrhoeae* causing disseminated gonococcal infection in Australia. *Int J STD and AIDS* 1992; 3:273-7
- Kaldor J, Waddell RG *et al*. HIV infection in Australian men who have had heterosexual contact in South East Asia. *Australian HIV Surveillance Report NCHECR* 1991 :7 supplement.
- Waddell RG. Syphilis on the increase? An update for G.P.s. *Current Therapeutics* 1992; 33:25-30
- Waddell RG. Provocative statements on NSU. Australasian College of Venereologists Annual Scientific Meeting. *Venereology* 1992; 5:64
- Kok T -W , Payne LE, Bailey SE, Waddell RG. Urine and the laboratory diagnosis of *Chlamydia trachomatis* in males. *Genitourin Med* 1993; 69:51-3
- Waddell RG, Davey T. Contact Tracing following diagnosis of HIV infection in South Australia. *Australian HIV Sentinel Surveillance Report* 1994; 10(4):2-5
- Isaacs A. Management of recurrent genital herpes. *General Practitioner* 1994; 2(16):7- 20
- Waddell RG. Hepatitis C and the history of injecting drug use in South Australia. *Med J Aust* 1994;161 :286
- Hallsworth PG, Hefford C, Waddell RG, Gordon DL. Comparison of antigen detection, polymerase chain reaction and culture for the detection of *Chlamydia trachomatis* in genital infection. *Pathology* 1995; 27: 168- 7
- Waddell RG. Endemic STDs in remote communities: the challenge for STD control. *Med J Aust* 1997; 166:456-7

- Hart G. Syphilis Tests in Diagnostic and Therapeutic decision Making. *Annals Intern Med* 1986; 104: 368-7
- Hart G. Prevention and Detection. *World Health* November 1986; 18-19
- Hart G. Treatment of syphilis today. *Current Therapeutics* 1987; 28(5):81-91
- Hart G. Computerization of Clinic Records: The Resource Utilization System for Sexually Transmitted Diseases Clinics. *Sex Transm Dis* 1989; 16:1-6
- Hart G, Melbourne J. Human immunodeficiency virus infection in South Australia, 1985- 1988. *Venereology* 1989; 2:60-1
- Hart G. Information Systems for STD Control programmes. *Venereology* 1990; 3:37 -9
- Hart G. Factors associated with requesting and refusing human immunodeficiency virus antibody testing. *Med J Aust* 1991; 155:586-9
- Hart G. The influence of evening services on patient attendance at the South Australian Sexually Transmitted Disease Clinic. *Sex Transm Dis* 1992; 19:181-2
- Hart G. Factors associated with genital chlamydial and gonococcal infections in females. *Genitourin Med* 1992; 68:217-20
- Hart G. Factors associated with genital chlamydial and gonococcal infections in males. *Genitourin Med* 1993; 4:21-5
- Hart G. Factors associated with pediculosis pubis and scabies. *Genitourin Med* 1992; 68:294-5
- Hart G. Factors associated with hepatitis B infection. *Int J STD and AIDS* 1993; 4:102-6
- Hart G. Factors associated with trichomoniasis, candidiasis and bacterial vaginosis. *Int J STD and AIDS* 1993; 4:21-5
- Hart G. STD epidemiology in Australasia: Syphilis and gonorrhoea. *Venereology* 1992; 5:115-20
- Hart G. Risk profiles and epidemiologic interrelationships of sexually transmitted diseases. *Sex Transm Dis* 1993; 20:126-36
- Hart G. Syphilis and gonorrhoea -current thinking. *Aust Family Physician* 1993; 22:140-6
- Hart G. STD epidemiology in Australasia: the old and the new. *Venereology* 1993; 6:5- 9
- Winter M, Hart G. Waiting times in a sexually transmitted disease clinic. *Venereology* 1993; 6:9-12
- Hart G. The epidemiology of genital chlamydial infection in South Australia. *Int J STD and AIDS* 1993; 4:204-10
- Hart G. Treponemal infection and outcome of pregnancy (letter). *J Infect Dis* 1993; 168:788
- Hart G. Editorial. Resurgence of anorectal gonorrhoea. *Venereology* 1993; 6(4):94
- Tideman R, Hart G. Factors associated with after hours attendance at an STD clinic. *Venereology* 1994; 7:9-11
- Hart G. Occupation and sexually transmitted diseases. *Venereology* 1994; 7:56-61
- Hart G. Editorial. Donovanosis in Australia. *Venereology* 1995; 8(1):15
- Mulvey G, Hart G, Scrimgeour D, Radford A. STD contact tracing and syphilis screening on the Ananga Pitjantjatjara Lands in South Australia. *Venereology* 1995; 8(1):26-33
- Miller C, Hart G. Reduced disease prevalence at a sexually transmitted diseases clinic during a mass media campaign. *Venereology* 1995; 8(1):26-33
- Mulhall BP, Hart G, Harcourt C. Sexually transmitted diseases in Australia: a decade of change. *Ann Acad Singapore* 1995; 24:569-78
- McCull M, Hart G, Chung D. Client follow-up at the Adelaide sexually transmitted diseases clinic. *ANZ J Public Health* 1996; 20(2):161-4
- Hart G. Donovanosis. *Clin Inf Dis* 1997;25:24-32
- Miller, C. Genital Herpes. *Current Therapeutics Internet Supplement*. June 2000
- Waddell, R. Genital HPV In Perspective. SA Cervical Screening Program, *Pap News, Newsletter No.10* November 2000
- Waddell R. Genital HSV Infection: Long- Term Approaches For A Lifelong Disease. *In Focus, Herpes Virus Infections: New Paradigms for a New Millennium, 2000*